

2-16-05
12.3.8-8



HOME FORMS PROFILE ADMIN

GM Form (simple version)

User: goworn Role: Administrator Log Off

RCRA Site ID: WAD009249616

Ash Grove Cement West Inc
3801 E MARGINAL WAY S
SEATTLE, WA 98134

Facility/Site ID: 2142

Reporting Year: 2004

GM Form (simple version)

Switch to Expert Version

A. Description of Dangerous Waste Stream

Sequence Number: 2

A-1. ? What is your profile code? (Optional)

Select Waste Stream

Copy a waste stream from a previous reporting year

A-2. ? Enter a description of the waste stream.

Titration Liquid

A-3. ? Which EPA hazardous waste codes are associated with this waste stream?

D001 - NON-LISTED IGNITABLE

P003 - FLAMMABLE ORGANIC SOLVENTS AND STILL BOTTOMS

A-4. ? Which Washington state-only dangerous waste codes are associated with this waste stream?

A-5. ? What is the designation of this waste stream?

☐ EHW ☒ DW

A-6. ? Is this a mixed radioactive waste?

☒ No ☐ Yes

A-7. ? Which source code best identifies the activity associated with the generation of this waste stream?

G22 - Laboratory analytical wastes (used chemicals)

A-8. ? Which form code best identifies the activity associated with the generation of this waste stream?

W219 - Other organic liquid (specify in comments)

A-9. ? What is the origin of this waste stream?

☒ i ☐ ii ☐ iii ☐ iv ☐ v (If v, answer A-9.a.)

A-9.a. ? If you specified origin code 'v' in question A-9, enter the system code for the management system that generated the waste.

B. Waste Management Activities

B-1. ? What is the total quantity of this waste stream managed in the reporting year and what is the unit of measure?

504.5700 ☐ Tons ☒ Pounds ☐ Kilograms ☐ Gallons



Click this button to calculate the total quantity in B-1 based on section B-3 and B-4 quantities.

B-1.a. ? If the waste stream is measured in gallons, what is its density?
 ☐ reported ☐ approximate ☒ N/A

B-2. ? Where was this waste stream managed?
☐ On-Site ☒ Off-Site ☐ Both

B-3. ? If all or part of this dangerous waste stream was managed on-site, how much was managed on-site and how was it managed?

B-3.a. ? For on-site management, indicate whether this waste stream was managed according to the treatment-by-generator guidance.
☒ No ☐ Yes

B-4. ? **Off-site management summary**
You have 1 off-site management summary records. Click the Manage Offsite Summary Records button to add, edit, or delete records. Click the Calculate button to create the records from the shipments entered in section B-5.

B-5. ? **Shipments sent off-site**
You have 0 off-site shipment records. Please click the Manage Shipments Sent button to add, edit, or delete shipments.

C. Use the Comments section to provide comments, information or explanations as necessary. In your comments, always provide the reference to the specific question number. ?

A-8 Spent non-halogenated solvents.